

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

Public services- I & CAD Department- Irregularities and corruption in providing earth dugout from Eluru canal in West GodavariDt- Disciplinary proceedings against Sri I.Satyanarayana, Dy.Executive Engineer under Rule 20 of APCS(CC&A) Rules, 1991- Enquiry conducted- charges not proved- Dropping of further action- orders - Issued.

---

IRRIGATION & CAD (Ser.VII(V&E-2) DEPARTMENT

G.O. Rt.No.

Dt. 18 -06-2011

Read the following :

1. From the General Administration (V&E) Department Vigilance Report No. 99(1038/V&E/EI/05), dated 15-09-2006.
2. G.O.Rt.No. 1207, I & CAD 9Ser.VII(V&E-2) Department, dated 29-10-2007.
3. Written statement of defense received from Sri K.Satyanarayana, Dy. Executive Engineer, dated 06-12-2007.
4. G.O.Rt.No. 923, I & CAD (Ser.VII(V&E-2) Department , dated 19-07-2008.
5. From the Inquiring Authority D.O. Lr.No. 1368/COI-CK/A1/2008, Dt.01-06-2010.

ORDER :

In the reference 1<sup>st</sup> read above, it has been brought to the notice of the Government that certain Engineers of I & CAD Department have committed irregularities in providing earth dugout from Eluru Canal in West Godavari District.

2. Government after careful examination, in the reference 2<sup>nd</sup> read above, initiated disciplinary action against Sri I.Satyanarayana, Dy. Executive Engineer.

3. In the reference 3<sup>rd</sup> read above, Sri I.Satyanarayana, Dy. Executive Engineer has submitted his written statement of defense duly denying the charges framed against him.

4. In the reference 4<sup>th</sup> read above, orders were issued appointing Smt Chandana Khan, IAS, member, COI, as Inquiring Authority to conduct enquiry into the charges framed against Sri I.Satyanarayana, Dy. Executive Engineer and another as his written statement of defense is not convincing.

5. In the reference 5<sup>th</sup> read above, the Inquiring Authority submitted enquiry report stating that the charges are not held proved against Sri I. .Satyanarayana, Dy. Executive Engineer.

6. Government after careful examination of the entire issue have decided to accept the findings of the Inquiring Authority and to drop further action against Sri I. Satyanarayana, Dy. Executive Engineer.

P.T.O.

7. The Engineer-in-Chief (AW), I & CAD Department, Hyderabad shall take necessary, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**SHAILENDRA KUMAR JOSHI**  
**PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri I .Satyanarayana, Dy. Executive Engineer, through the Engineer-in-Chief (AW), I & CAD Department

The Engineer-in-Chief (AW), I & CAD Department, Hyderabad.

The General Administration (V&E) Department

The Secretary, APVC, Hyderabad.

//FORWARDED :: BY ORDER//

SECTION OFFICER